
KINGSTONE

Kingstone Building Material Supplies Pty Ltd

61 Lakemba St, Belmore NSW 2192

Tel: (02) 9750 7128

Fax: (02) 9750 7031

e: info@kbms.com.au

w: <http://www.kbms.com.au/>



No risks have to take. Our products provide 10 years guarantee.

Product Catalogue

Polycarbonate roofing sheet



2019

Polycarbonate roofing sheet


An outstanding class of polycarbonate roofing sheets combining superior impact resistance, elegant smooth appeal, flexibility, excellent light transmission properties and UV protection. Naturelite's polycarbonate roofing sheets are chosen by architects, building professionals and renovators for its high quality physical properties, ease of installation and as an attractive, practical alternative to glass.

Types of Polycarbonate Sheets:

- SolaGlaze (Polycarbonate solid flat Roofing Sheets)
- SolaSky (Polycarbonate Corrugated roofing sheet)
- SolaLite (Flat twinwall sheet)

Advantage:

- ✓ UV protection
- ✓ Lightweight(compared to glass) & easy to install
- ✓ Excellent weather and watertightness when installed properly
- ✓ Flexible and versatile - can be cold curved on site



SolaGlaze (Polycarbonate solid flat Roofing Sheets)

Product Name	Width (mm)	Length (mm)	Thickness (mm)	Minimum pitch
SolaGlaze	1220	620	4	5 degrees

Colour name	Light transmission	Heat Reduction
Clear	89%	87%
Grey	66%	64%
Bronze	50%	48%
Opal (white)	20%	18%

SolaSky (Polycarbonate Corrugated roofing sheet)

Product Name	Width (mm)	Coverage (mm)	Height (mm)	Thickness (mm)	Weight (kg/m ²)
SolaSky Corrugated	840	760	18	0.80	1.10
SolaSky Trimdek / 5 Rib	830	762	29	0.80	1.11
SolaSky Greca	815	760	18	0.80	1.13

Colour name	Light transmission	Heat Reduction
Clear	46%	28%
Grey	24%	58%
Bronze	56%	59%
Cream	24%	39%
Opal (white)	92%	0%

SolaLite (Flat twinwall sheet)

Product Name	Width (mm)	Length (m)	Thickness (mm)
SolaLite 700mm	700	Min. 1.1, 1.5, 2.0, 2.5,	10
SolaLite 1050mm	1050	3.0, 3.5, 4.0, 4.5, 5.0, 5.5,	10
SolaLite 1220mm	1220	6.0, 8.0 Other size available on request	10

Colour name	Thickness	Light transmission	Heat Reduction
Clear	10mm	72%	83%
Grey	10mm	59%	57%
Bronze	10mm	52%	54%
Opal (white)	10mm	18%	16%

Accessories

SolaGlaze™ Extrusions H Bars and H Bar End Caps



50mm Aluminium H Bar with rubber gaskets.
Available in Dark Grey, Mill Finish, Primrose and White.

SolaLite Aluminium Extrusions

		
Aluminium H Bar	Aluminium Side Bar 1 piece or 2 piece available	Aluminium End Cap

Installation Accessories



Foil Sealing Tape Screws



Rubber Gaskets



Pop Rivets



Self Drilling Hex Head